

20. PAINTS AND VARNISHES

- 20-1) BDS 1005:1981 ; Specification for Ready Mixed Paint, Brushing, Finishing, Stoving, Enamel, Colour as Required;
- 20-2) BDS 1064:1983 ; Specification for Varnish, Stoving;
- 20-3) BDS 1065:1983 ; Specification for Varnish, Acid Resisting;
- 20-4) BDS 1066:1983 ; Specification for Varnish, Finishing, Interior;
- 20-5) BDS 1097:1984 ; Specification for Plastic Emulsion Paint.
- 20-6) BDS 1141:1986 ; Specification for Ready Mixed Aluminium Priming Paints for Woodwork;
- 20-7) BDS 1151:1986 ; Specification for Pavement Marking Paints.
- 20-8) BDS 13:1960 ; Specification for Ready Mixed Paints, Varnish, Lacquers and Related Products (under revision);
- 20-9) BDS 14:1960 ; Specification for Black Bituminous Paint, Brushing for General Purposes (under revision);
- 20-10) BDS 397:1964 ; Specification for Ready Mixed Paint, Brushing, Red Oxide Zinc Chrome, Priming (under revision);
- 20-11) BDS 398:1964 ; Specification for Ready Mixed Paint, Spraying, Red Oxide Zinc Chrome, Priming (under revision);
- 20-12) BDS 399:1964 ; Specification for Aluminum Paint, Spraying for General Purposes, in Dual Container (under revision);
- 20-13) BDS 400:1964 ; Specification for Aluminium Paint, Brushing, for General Purposes in Dual Container (under revision);
- 20-14) BDS 401:1964 ; Specification for Varnish, Finishing, Exterior, Type-I, (Synthetic) (Tentative) (under revision);
- 20-15) BDS 401:1964 ; Specification for Varnish, Finishing, Exterior, Type-I, (synthetic) (under revision);
- 20-16) BDS 402:1989 ; Specification for Ready Mixed Paint, Brushing, Finishing, Semigloss, for General Purposes (First Revision);
- 20-17) BDS 499:1965 ; Specification for Ready Mixed Paints, Brushing, for Road Marking (white, yellow and black) (under revision);
- 20-18) BDS 500:1965 ; Specification for Distemper Dry (under revision);
- 20-19) BDS 616:1966 ; Specification for Enamel, Brushing, Exterior (i) Undercoating, (ii) Finishing, Colour as Required (under revision);
- 20-20) BDS 617:1966 ; Specification for Enamel, Brushing, Interior (i) Undercoating, (ii) Finishing, Colour as Required (under revision);
- 20-21) BDS 926:1980 ; Specification for Ready Mixed Paint, Brushing, Petrol Resisting, Air Drying, for Exterior Painting of Containers, Colour as Required;
- 20-22) BDS 927:1980 ; Specification for Ready Mixed Paint, Brushing, Petrol Resisting, Air Drying, for Interior Painting of Tanks and Containers, Red Oxide (colour unspecified);

- 20-23) BDS 928:1980 ; Specification for Ready Mixed Paint, Brushing, Acid Resisting, for Protection Against Acid Fumes, Colour as Required;
- 20-24) BDS 973:1981 ; Specification for Specification and Methods of Test for Linseed Stand Oil for Paints and Varnishes;
- 20-25) BDS 974:1981 ; Specification and Methods of Test for Raw Tung Oils for Paints and Varnishes;
- 20-26) IS 101 ; Methods of sampling and test for paints, varnishes and related products:
- 20-27) IS 104:1979 ; Specification for ready mixed paint, brushing, zinc chrome, priming (second revision)
- 20-28) IS 109:1968 ; Specification for ready mixed paint, brushing, priming, plaster to Indian Standard colours No. 361 and 631 (first revision)
- 20-29) IS 11883:1986 ; Specification for ready mixed paint, brushing, red oxide, priming for metals
- 20-30) IS 123:1962 ; Specification for ready mixed paint, brushing, finishing, semi-gloss, for general purposes, to Indian Standard colours No. 445, 446, 448, 449, 451 and 473; and red oxide (colour unspecified) (revised)
- 20-31) IS 13183:1991 ; Specification for aluminium paints, heat resistant
- 20-32) IS 13213:1991 ; Specification for polyurethane full gloss enamel (two pack)
- 20-33) IS 133:1993 ; Specification for enamel, interior (a) undercoating, (b) finishing (third revision)
- 20-34) IS 13607:1992 ; Specification for ready mixed paint, finishing, general purposes, synthetic
- 20-35) IS 137:1965 ; Specification for ready mixed paint, brushing, matt or egg-shell flat, finishing, interior, to Indian Standard colour, as required (revised)
- 20-36) IS 13871:1993 ; Specification for powder coatings
- 20-37) IS 14314:1995 ; Specification for thinner general purposes for synthetic paints and varnishes
- 20-38) IS 158:1981 ; Specification for ready mixed paint, brushing, bituminous, black, lead-free, acid, alkali, and heat resisting (third revision)
- 20-39) IS 168:1993 ; Specification for ready mixed paint, air-drying semi-glossy/matt, for general purposes (third revision)
- 20-40) IS 2074:1992 ; Specification for ready mixed paint, air drying red oxide-zinc chrome, priming (second revision)
- 20-41) IS 2075:2000 ; Specification for ready mixed paint, stoving, red oxide-zinc chrome, priming (second revision)
- 20-42) IS 2339:1963 ; Specification for aluminium paint for general purposes, in dual container
- 20-43) IS 2932:2003 ; Specification for enamel, synthetic, exterior, (a) undercoating, (b) finishing (third revision)
- 20-44) IS 2933:1975 ; Specification for enamel, exterior, (a) undercoating, (b) finishing (first revision)

- 20-45) IS 324:1959 ; Specification for ordinary denatured spirit (revised)
- 20-46) IS 324:1959 ; Specification for Ordinary Denatured Spirit (revised);
- 20-47) IS 337:1975 ; Specification for varnish, finishing, interior (first revision)
- 20-48) IS 341:1973 ; Specification for black Japan, Types A, B and C first revision)
- 20-49) IS 347:1975 ; Specification for Varnish, Shellac for general purposes (First Revision);
- 20-50) IS 348:1968 ; Specification for French Polish (First Revision);
- 20-51) IS 3536:1999 ; Specification for ready mixed 'paint, brushing, wood primer
- 20-52) IS 3537:1966 ; Specification for ready mixed paint, finishing, interior for general purposes, to Indian Standard colours No. 101, 216, 217, 219, 275:"281, 352, 353, 358 to 361, 363,364,388,410,442, 444,628, 631,632,634,693,697, white andblack
- 20-53) IS 3539:1966 ; Specification for ready mixed paint, undercoating, for use under oil finishes, to Indian Standard colours, as required
- 20-54) IS 3585:1966 ; Specification for ready mixed paint, aluminium, brushing, priming, water resistant, for wood work
- 20-55) IS 3678:1966 ; Specification for ready mixed paint, thick white, for lettering
- 20-56) IS 427:1965 ; Specification for distemper, dry, colour as required (revised)
- 20-57) IS 428:2000 ; Specification for distemper, washable (second revision)
- 20-58) IS 524:1983 ; Specification for varnish, finishing, exterior, synthetic (second revision)
- 20-59) IS 525:196 ; Specification for varnish, finishing, exterior and general purposes (first revision)
- 20-60) IS 533:1998 ; Specification for gum spirit of turpentine (oil of turpentine) (second revision)
- 20-61) IS 5410:1992 ; Specification for cement paint, colour as required (first revision)
- 20-62) IS 5411 ; Specification for plastic emulsion paint:
- 20-63) IS 642:1963 ; Specification for varnish medium for aluminium paint (revised)
- 20-64) IS 82:1992 ; Methods of sampling and test for thinners and solvents for paints (first revision)
- 20-65) IS 8662:1993 ; Specification for enamel, synthetic, exterior, (a) undercoating, (b) finishing, for railway coaches (first revision)
- 20-66) IS 9862:1981 ; Specification for ready mixed paint, brushing, bituminous black lead free, acid, alkali, water and chlorine resisting