

22. MISCELLANEOUS MATERIALS

- 22-1) ANSI A108.10-2009 ; Installation of Grout in Tilework;
- 22-2) ANSI A108.1-2009 ; Specification for the Installation of Ceramic Tile with Portland Cement Mortar;
- 22-3) ANSI A108.4-2009 ; Installation of Ceramic Tile with Organic Adhesives or Water Cleanable Tile Setting Epoxy Adhesive;
- 22-4) ANSI A108.5-2009 ; Installation of Ceramic Tile with Dry-Set Portland Cement Mortar or Latex-Portland Cement Mortar;
- 22-5) ANSI A108.6-2009 ; Installation of Ceramic Tile with Chemical Resistant, Water Cleanable Tile Setting and Grouting Epoxy;
- 22-6) ANSI A108.7-2009 ; Specification for Electrically Conductive Ceramic Tile Installed with Conductive Dry-Set Portland Cement Mortar;
- 22-7) ANSI A108.8-2009 ; Installation of Ceramic Tile with Chemical Resistant Furan Mortar and Grout;
- 22-8) ANSI A108.9-2009 ; Installation of Ceramic Tile with Modified Epoxy Emulsion Mortar/Grout;
- 22-9) ANSI A118.1-2009 ; Specification for Dry-Set Portland Cement Mortar;
- 22-10) ANSI A118.2-2009 ; Specifications for Conductive Dry-set Portland Cement Mortar;
- 22-11) ANSI A118.3-2009 ; Specifications for Chemical Resistant Water Cleanable Tile Setting and Grouting Epoxy and Water Cleanable Tile Setting Epoxy Adhesive;
- 22-12) ANSI A118.4-2009 ; Specifications Furan Latex - Portland Cement Mortar;
- 22-13) ANSI A118.5-2009 ; Specifications for Chemical Resistant Furan;
- 22-14) ANSI A118.6-2009 ; Specifications for Ceramic Tile Grouts;
- 22-15) ANSI A118.8-2009 ; Specifications for Modified Epoxy Emulsion Mortar/Grout;
- 22-16) ANSI A136.1-2009 ; Organic Adhesives for Installation of Ceramic Tile;
- 22-17) ANSI A137.1-2008 ; Specification for Ceramic Tile;
- 22-18) ANSI A137.1-2008 ; Specifications for Ceramic Tile;
- 22-19) ANSI Z 97.1-2009 ; Safety Performance Specifications and Methods of Tests for Transport Safety Glazing Materials Used in Building;
- 22-20) ASTM A116 - 05 ASTM A121 - 07 ; Standard Specification for Metallic-Coated Carbon Steel Barbed Wire
- 22-21) ASTM A121 - 07 ; Standard Specification for Metallic-Coated Carbon Steel Barbed Wire
- 22-22) ASTM A368 - 95a(2009) ; Standard Specification for Stainless Steel Wire Strand
- 22-23) ASTM A392 - 07 ; Standard Specification for Zinc-Coated Steel Chain-Link Fence Fabric
- 22-24) ASTM A475 - 03(2009)e1 ; Standard Specification for Zinc-Coated Steel Wire Strand

- 22-25) ASTM A492 - 95(2009) ; Standard Specification for Stainless Steel Rope Wire
- 22-26) ASTM A510 - 08 ; Standard Specification for General Requirements for Wire Rods and Coarse Round Wire, Carbon Steel
- 22-27) ASTM A586 - 04a(2009)e1 ; Standard Specification for Zinc-Coated Parallel and Helical Steel Wire Structural Strand
- 22-28) ASTM A603 - 98(2009)e1 ; Standard Specification for Zinc-Coated Steel Structural Wire Rope
- 22-29) ASTM A817 - 07 ; Standard Specification for Metallic-Coated Steel Wire for Chain-Link Fence Fabric and Marcellled Tension Wire
- 22-30) ASTM A824 - 01(2007) ; Standard Specification for Metallic-Coated Steel Marcellled Tension Wire for Use With Chain Link Fence
- 22-31) ASTM C1014 - 08 ; Standard Specification for Spray-Applied Mineral Fiber Thermal and Sound Absorbing Insulation
- 22-32) ASTM C1029 - 09 ; Standard Specification for Spray-Applied Rigid Cellular Polyurethane Thermal Insulation
- 22-33) ASTM C1036 - 06 ; Standard Specification for Flat Glass
- 22-34) ASTM C1048 - 04 ; Standard Specification for Heat-Treated Flat Glass—Kind HS, Kind FT Coated and Uncoated Glass
- 22-35) ASTM C1071 - 05e1 ; Standard Specification for Fibrous Glass Duct Lining Insulation (Thermal and Sound Absorbing Material)
- 22-36) ASTM C1193 - 09 ; Standard Guide for Use of Joint Sealants
- 22-37) ASTM C1193 - 09 ; Standard Guide for Use of Joint Sealants
- 22-38) ASTM C126 - 09 ; Standard Specification for Ceramic Glazed Structural Clay Facing Tile, Facing Brick, and Solid Masonry Units
- 22-39) ASTM C126 - 09 ; Standard Specification for Ceramic Glazed Structural Clay Facing Tile, Facing Brick, and Solid Masonry Units
- 22-40) ASTM C1363 - 05 ; Standard Test Method for Thermal Performance of Building Materials and Envelope Assemblies by Means of a Hot Box Apparatus
- 22-41) ASTM C167 - 09 ; Standard Test Methods for Thickness and Density of Blanket or Batt Thermal Insulations
- 22-42) ASTM C177 - 04 ; Standard Test Method for Steady-State Heat Flux Measurements and Thermal Transmission Properties by Means of the Guarded-Hot-Plate Apparatus
- 22-43) ASTM C195 - 07 ; Standard Specification for Mineral Fiber Thermal Insulating Cement
- 22-44) ASTM C196 - 00(2005) ; Standard Specification for Expanded or Exfoliated Vermiculite Thermal Insulating Cement
- 22-45) ASTM C208 - 08a ; Standard Specification for Cellulosic Fiber Insulating Board
- 22-46) ASTM C209 - 07ae1 ; Standard Test Methods for Cellulosic Fiber Insulating Board
- 22-47) ASTM C240 - 08e1 ; Standard Test Methods of Testing Cellular Glass Insulation Block

건축자재 인증 및 시험관련 규격

- 22-48) ASTM C335 - 05ae1 ; Standard Test Method for Steady-State Heat Transfer Properties of Pipe Insulation
- 22-49) ASTM C411 - 05 ; Standard Test Method for Hot-Surface Performance of High-Temperature Thermal Insulation
- 22-50) ASTM C449 - 07 ; Standard Specification for Mineral Fiber Hydraulic-Setting Thermal Insulating and Finishing Cement
- 22-51) ASTM C509 - 06 ; Standard Specification for Elastomeric Cellular Preformed Gasket and Sealing Material
- 22-52) ASTM C516 - 08 ; Standard Specification for Vermiculite Loose Fill Thermal Insulation
- 22-53) ASTM C518 - 04 ; Standard Test Method for Steady-State Thermal Transmission Properties by Means of the Heat Flow Meter Apparatus
- 22-54) ASTM C520 - 04 ; Standard Test Methods for Density of Granular Loose Fill Insulations
- 22-55) ASTM C533 - 09 ; Standard Specification for Calcium Silicate Block and Pipe Thermal Insulation
- 22-56) ASTM C534 / C534M - 08 ; Standard Specification for Preformed Flexible Elastomeric Cellular Thermal Insulation in Sheet and Tubular Form
- 22-57) ASTM C542 - 05 ; Standard Specification for Lock-Strip Gaskets
- 22-58) ASTM C547 - 07e1 ; Standard Specification for Mineral Fiber Pipe Insulation
- 22-59) ASTM C549 - 06 ; Standard Specification for Perlite Loose Fill Insulation
- 22-60) ASTM C552 - 07 ; Standard Specification for Cellular Glass Thermal Insulation
- 22-61) ASTM C553 - 08 ; Standard Specification for Mineral Fiber Blanket Thermal Insulation for Commercial and Industrial Applications
- 22-62) ASTM C564 - 09a ; Standard Specification for Rubber Gaskets for Cast Iron Soil Pipe and Fittings
- 22-63) ASTM C578 - 09e1 ; Standard Specification for Rigid, Cellular Polystyrene Thermal Insulation
- 22-64) ASTM C591 - 09 ; Standard Specification for Unfaced Preformed Rigid Cellular Polyisocyanurate Thermal Insulation
- 22-65) ASTM C592 - 08a ; Standard Specification for Mineral Fiber Blanket Insulation and Blanket-Type Pipe Insulation (Metal-Mesh Covered) (Industrial Type)
- 22-66) ASTM C610 - 09e1 ; Standard Specification for Molded Expanded Perlite Block and Pipe Thermal Insulation
- 22-67) ASTM C612 - 09 ; Standard Specification for Mineral Fiber Block and Board Thermal Insulation
- 22-68) ASTM C665 - 06 ; Standard Specification for Mineral-Fiber Blanket Thermal Insulation for Light Frame Construction and Manufactured Housing
- 22-69) ASTM C716 - 06 ; Standard Specification for Installing Lock-Strip Gaskets and Infill Glazing Materials
- 22-70) ASTM C719 - 93(2005) ; Standard Test Method for Adhesion and Cohesion of

- Elastomeric Joint Sealants Under Cyclic Movement (Hockman Cycle)
- 22-71) ASTM C726 - 05e1 ; Standard Specification for Mineral Fiber Roof Insulation Board
 - 22-72) ASTM C728 - 05(2010) ; Standard Specification for Perlite Thermal Insulation Board
 - 22-73) ASTM C739 - 08 ; Standard Specification for Cellulosic Fiber Loose-Fill Thermal Insulation
 - 22-74) ASTM C764 - 07 ; Standard Specification for Mineral Fiber Loose-Fill Thermal Insulation
 - 22-75) ASTM C794 - 06 ; Standard Test Method for Adhesion-in-Peel of Elastomeric Joint Sealants
 - 22-76) ASTM C834 - 10 ; Standard Specification for Latex Sealants
 - 22-77) ASTM C864 - 05 ; Standard Specification for Dense Elastomeric Compression Seal Gaskets, Setting Blocks, and Spacers
 - 22-78) ASTM C916 - 85(2007) ; Standard Specification for Adhesives for Duct Thermal Insulation
 - 22-79) ASTM C919 - 08 ; Standard Practice for Use of Sealants in Acoustical Applications
 - 22-80) ASTM C920 - 08 ; Standard Specification for Elastomeric Joint Sealants
 - 22-81) ASTM C991 - 08e1 ; Standard Specification for Flexible Fibrous Glass Insulation for Metal Buildings
 - 22-82) ASTM D1003 - 07e1 ; Standard Test Method for Haze and Luminous Transmittance of Transparent Plastics
 - 22-83) ASTM D1044 - 08 ; Standard Test Method for Resistance of Transparent Plastics to Surface Abrasion
 - 22-84) ASTM D1204 - 08 ; Standard Test Method for Linear Dimensional Changes of Nonrigid
 - 22-85) ASTM D1327 - 04 ; Standard Specification for Bitumen-Saturated Woven Burlap Fabrics Used in Roofing and Waterproofing
 - 22-86) ASTM D146 - 04 ; Standard Test Methods for Sampling and Testing Bitumen-Saturated Felts and Woven Fabrics for Roofing and Waterproofing
 - 22-87) ASTM D1593 - 09 ; Standard Specification for Nonrigid Vinyl Chloride Plastic Film and Sheeting
 - 22-88) ASTM D1668 - 97a(2006) ; Standard Specification for Glass Fabrics (Woven and Treated) for Roofing and Waterproofing
 - 22-89) ASTM D173 - 03 ; Standard Specification for Bitumen-Saturated Cotton Fabrics Used in Roofing and Waterproofing
 - 22-90) ASTM D2103 - 08 ; Standard Specification for Polyethylene Film and Sheeting
 - 22-91) ASTM D2126 - 09 ; Standard Test Method for Response of Rigid Cellular Plastics to Thermal and Humid Aging
 - 22-92) ASTM D2178 - 04 ; Standard Specification for Asphalt Glass Felt Used in Roofing and Waterproofing

건축자재 인증 및 시험관련 규격

- 22-93) ASTM D226 / D226M - 09 ; Standard Specification for Asphalt-Saturated Organic Felt Used in Roofing and Waterproofing
- 22-94) ASTM D227 - 03 ; Standard Specification for Coal-Tar-Saturated Organic Felt Used in Roofing and Waterproofing
- 22-95) ASTM D25 - 99(2005) ; Standard Specification for Round Timber Piles
- 22-96) ASTM D2626 - 04 ; Standard Specification for Asphalt-Saturated and Coated Organic Felt Base Sheet Used in Roofing
- 22-97) ASTM D2628 - 91(2005) ; Standard Specification for Preformed Polychloroprene Elastomeric Joint Seals for Concrete Pavements
- 22-98) ASTM D2842 - 06 ; Standard Test Method for Water Absorption of Rigid Cellular Plastics
- 22-99) ASTM D2843 - 10 ; Standard Test Method for Density of Smoke from the Burning or Decomposition of Plastics
- 22-100) ASTM D3294 - 09 ; Standard Specification for PTFE Resin Molded Sheet and Molded Basic Shapes
- 22-101) ASTM D3406 - 95(2006) ; Standard Specification for Joint Sealant, Hot-Applied, Elastomeric-Type, for Portland Cement Concrete Pavements
- 22-102) ASTM D3468 - 99(2006)e1 ; Standard Specification for Liquid-Applied Neoprene and Chlorosulfonated Polyethylene Used in Roofing and Waterproofing
- 22-103) ASTM D3667 - 05 ; Standard Specification for Rubber Seals Used in Flat-Plate Solar Collectors
- 22-104) ASTM D3678 - 97(2008)e1 ; Standard Specification for Rigid Poly(Vinyl Chloride) (PVC) Interior-Profile Extrusions
- 22-105) ASTM D3679 - 09a ; Standard Specification for Rigid Poly(Vinyl Chloride) (PVC) Siding
- 22-106) ASTM D3771 - 03(2007) ; Standard Specification for Rubber Seals Used in Concentrating Solar Collectors
- 22-107) ASTM D3832 - 79(2006) ; Standard Specification for Rubber Seals Contacting Liquids in Solar Energy Systems
- 22-108) ASTM D3841 - 97(2008)e1 ; Standard Specification for Glass-Fiber-Reinforced Polyester Plastic Panels
- 22-109) ASTM D41 - 05 ; Standard Specification for Asphalt Primer Used in Roofing, Damp proofing, and Waterproofing
- 22-110) ASTM D43 - 00(2006) ; Standard Specification for Coal Tar Primer Used in Roofing, Damp proofing, and Waterproofing
- 22-111) ASTM D449 - 03(2008) ; Standard Specification for Asphalt Used in Damp proofing and Waterproofing
- 22-112) ASTM D450 - 07 ; Standard Specification for Coal-Tar Pitch Used in Roofing, Damp proofing, and Waterproofing
- 22-113) ASTM D4802 - 02 ; Standard Specification for Poly(Methyl Methacrylate) Acrylic Plastic Sheet

건축자재 인증 및 시험관련 규격

- 22-114) ASTM D543 - 06 ; Standard Practices for Evaluating the Resistance of Plastics to Chemical Reagents
- 22-115) ASTM D635 - 06 ; Standard Test Method for Rate of Burning and/or Extent and Time of Burning of Plastics in a Horizontal Position
- 22-116) ASTM D638 - 08 ; Standard Test Method for Tensile Properties of Plastics
- 22-117) ASTM D6380 - 03(2009) ; Standard Specification for Asphalt Roll Roofing (Organic Felt)
- 22-118) ASTM D6690 - 07 ; Standard Specification for Joint and Crack Sealants, Hot Applied, for Concrete and Asphalt Pavements
- 22-119) ASTM D695 - 08 ; Standard Test Method for Compressive Properties of Rigid Plastics
- 22-120) ASTM D882 - 09 ; Standard Test Method for Tensile Properties of Thin Plastic Sheeting
- 22-121) ASTM E119 - 09c ; Standard Test Methods for Fire Tests of Building Construction and Materials
- 22-122) ASTM E84 - 10 ; Standard Test Method for Surface Burning Characteristics of Building Materials
- 22-123) ASTM F1183 - 96(2006) ; Standard Specification for Aluminum Alloy Chain Link Fence Fabric
- 22-124) BDS 1301 : 1990 ; Specification for Glazed Earthenware Wall Tiles;
- 22-125) BDS 1301:1990 ; Specification for Glazed Earthenware Wall Tiles;
- 22-126) BDS 1493:1994 ; Glossary of terms used in refractory
- 22-127) BDS 1494:1994 ; Dimension of refractory bricks
- 22-128) BDS 1495:1994 ; High aluminium refractory bricks
- 22-129) BDS 809:1973 ; Specification for Wood Poles for Overhead Power and Telecommunication Lines;
- 22-130) BDS 885:1979 ; Method for Measuring Viscosity Number and K-Value of PVC Resins;
- 22-131) BDS 886:1978 ; Method for Direct Measuring the Specific Gravity of Plastics;
- 22-132) BDS 887:1978 ; Method for Measuring Deformation under Heat of Flexible Rigid PVC Compounds;
- 22-133) BDS 888:1978 ; Method for Measuring Temperature of Deflection under Load;
- 22-134) BDS 889:1978 ; Method for Measuring the Vicat Softening Temperature (VST) of Thermoplastics;
- 22-135) BDS 890:1978 ; Method for Measuring the Water Absorption at Room Temperature and Bolling Water Absorption of Plastics;
- 22-136) BDS 891:1978 ; Method for Measuring the Flexural Modulus of Plastics;
- 22-137) BDS 892:1978 ; Method for Measuring the Resistance to Tear Propagation of Flexible Plastics, Film or Sheeting;
- 22-138) BS 6431 ; Floor and Wall Tiles;
- 22-139) BS 6431 Part 1 1983 ; Specification for Classification and Making, Including Definitions

and Characteristics;

- 22-140) BS 6431 Part 1 to Part 23 ; Ceramic Floor and Wall Tiles.
- 22-141) BS 6431 Part 10 1984 ; Method for Determination of Dimensions and Surface Quality;
- 22-142) BS 6431 Part 11 1983 ; Method for Determination of Water Absorption;
- 22-143) BS 6431 Part 12 1983 ; Method for Determination of Modulus of;
- 22-144) BS 6431 Part 13 1986 ; Method for Determination of Scratch Hardness of Surface According to Mhos;
- 22-145) BS 6431 Part 14 1983 ; Method for Determination of Resistance to Abrasion of Unglazed Tiles;
- 22-146) BS 6431 Part 15 1983 ; Method for Determination of Linear Thermal Expansion;
- 22-147) BS 6431 Part 16 1983 ; Method for Determination of Resistance to Thermal Shock;
- 22-148) BS 6431 Part 17 1983 ; Method for Determination of Craze Resistance-Glazed Tiles;
- 22-149) BS 6431 Part 18 1983 ; Method for Determination of Chemical Resistance-Unglazed Tiles;
- 22-150) BS 6431 Part 19 1984 ; Method for Determination of Chemical Resistance-Unglazed Tiles;
- 22-151) BS 6431 Part 2 1984 ; Specification for Struded Ceramic Tiles with Low Water Absorption ($E < 3\%$) Group A1;
- 22-152) BS 6431 Part 20 1984 ; Method for Determination of Resistance to Surface Abrasion-Glazed Tiles;
- 22-153) BS 6431 Part 23 1986 ; Specification for Sampling and Basis for Acceptance;
- 22-154) BS 6431 Part 3 ; Extruded Ceramic Tiles with a Water Absorption of $3\% < E < 6\%$. Group A 11a;
- 22-155) BS 6431 Part 3 Section 3.1 1986 ; Specification for General Products;
- 22-156) BS 6431 Part 3 Section 3.2 1986 ; Specification for Products Terre Cuite, Cotto, Baldosion Catalan;
- 22-157) BS 6431 Part 4 ; Extruded Ceramic Tiles with a Water Absorption of $6\% < E < 10\%$. Group A11b;
- 22-158) BS 6431 Part 4 ; Section 4.2 1986
- 22-159) BS 6431 Part 4 ; Specification for General Products;
- 22-160) BS 6431 Part 5 1986 ; Specification for Extruded Ceramic Tiles with a Water Absorption of $E > 10\%$, Group A111;
- 22-161) BS 6431 Part 6 1984 ; Specification for Dust-prestressed Ceramic Tiles with a Low-Water Absorption ($E < 3\%$) Group B1;
- 22-162) BS 6431 Part 7 1986 ; Specification for Dust-prestressed Ceramic Tiles with a Water Absorption of $3\% < E \leq 6\%$. Group B11a;
- 22-163) BS 6431 Part 8 1986 ; Specification for Dust-prestressed Ceramic Tiles with Water Absorption of $6\% < E \leq 10\%$. Group B11b;

건축자재 인증 및 시험관련 규격

- 22-164) BS 6431 Part 9 1984 ; Specification for Dust-Prestressed Ceramic Tiles with a Water Absorption of E >10%. Group B111;
- 22-165) IS 10102:1982 ; Technical supply conditions for Rivets.
- 22-166) IS 110:1968 ; Specification for Ready Mixed Paint, Brushing, Grey Filler, for Enamels, for Use Over Primers (First Revision);
- 22-167) IS 1900:1974 ; Method of Testing Wood Poles;
- 22-168) IS 1902:1961 ; Code of Practice for Preservation of Bamboo and Cane for Non-structural Purposes;
- 22-169) IS 1929:1982 ; Specification for Hot Forged Steel Rivets for Hot Closing (12 to 36 mm diameter) (First Revision);
- 22-170) IS 2155:1982 ; Specification for Cold-Forged Solid Steel Rivets for Hot Closing (6 to 16 mm diameter) (First Revision);
- 22-171) IS 2365:1977 ; Specification for Steel Wire Suspension Ropes for Lifts, Elevators and Hoists (First Revision).
- 22-172) IS 2643:1975 ; Dimensions for Pipe Threads for Fastening Purposes;
- 22-173) IS 2907:1964 ; Specification for Non-ferrous Rivets (1.6 mm to 10 mm)
- 22-174) IS 2998:1981 ; Specification for Cold Forged Steel Rivets for Cold Closing (1 to 16 mm diameter) (First Revision);
- 22-175) IS 3337:1978 ; Specification for Ballies for General Purposes (First Revision);
- 22-176) IS 345:1952 ; Specification for Wood Filler, Transparent, Liquid;
- 22-177) IS 3709:1966 ; Specification for Mastic Cement for Bedding of Metal Windows;
- 22-178) IS 419:1967 ; Specification for Putty for Use on Window Frames (First Revision);
- 22-179) IS 421:1953 ; Specification for Jointing Paste, for Bedding Moldings on Coaching Stock;
- 22-180) IS 423:1961 ; Specification for Plastic Wood, for Joiners' Filler (revised);
- 22-181) IS 424:1965 ; Specification for Plastic Asphalt (revised);
- 22-182) IS 554:1975 ; Dimensions for Pipe Threads where Pressure Tight Joints are Required on the Threads (Second Revision);
- 22-183) IS 6711:1972 ; Code of Practice for Maintenance of Wood Poles for Overhead Power and Telecommunications Lines.
- 22-184) IS 6874:1973 ; Method of Tests for Round Bamboos;
- 22-185) IS 7164:1973 ; Specification for Stopper.
- 22-186) IS 8242:1976 ; Methods of Tests for Split Bamboo;
- 22-187) IS 8295:1976 ; Specification for Bamboo Chicks, Part I Fine;
- 22-188) IS 9096:1979 ; Code of Practice for Preservation of Bamboos for Structural Purposes.
- 22-189) ISO 10080:1990 ; Refractory Products-Classification of Dense, Shaped Acid-Resisting Products;

- 22-190) ISO 10081:1991 ; Basic Refractory Products-Classification-Part I: Products Containing Less Than 7% Residual Carbon.
- 22-191) ISO 10563:1991 ; Building Construction-Sealants for Joints-Determination of Change in Mass and Volume;
- 22-192) ISO 10590:1991 ; Building Construction-Sealants-Determination of Adhesion/Cohesion Properties at Maintained Extension after Immersion in Water;
- 22-193) ISO 10591 : 1991 ; Building Construction-Sealants-Determination of Adhesion/Cohesion Properties after Immersion in Water.
- 22-194) ISO 1109:1975 ; Refractory Products-Classification of Dense Shaped Refractory Products;
- 22-195) ISO 1146:1988 ; Pyrometric Reference Cones for Laboratory Use-Specification;
- 22-196) ISO 1893:1989 ; Refractory Products-Determination of Refractoriness-Under-Load (differential with rising temperature);
- 22-197) ISO 1927:1984 ; Prepared Unshaped Refractory Materials (Dense and Insulating) Classification;
- 22-198) ISO 2245:1990 ; Shaped Insulating Refractory Products-Classification;
- 22-199) ISO 2444 : 1988 ; Joints in Buildings-Vocabulary;
- 22-200) ISO 2477:1987 ; Shaped Insulating Refractory Products-Determination of Permanent Change in Dimensions on Heating;
- 22-201) ISO 2478:1987 ; Dense Shaped Refractory Products-Determination of Permanent Change in Dimensions on Heating;
- 22-202) ISO 3187:1989 ; Refractory Products-Determination of Creep in Compression;
- 22-203) ISO 3867:1982 ; Agglomerated Cork-Material of Expansion Joints for Construction and Building Test-Methods;
- 22-204) ISO 3869:1981 ; Agglomerated Cork-Filler Material of Expansion Joints for Construction and Buildings -Characteristics, Sampling and Packing;
- 22-205) ISO 3934:1978 ; Rubber Building Gaskets-Materials in Preformed Solid Vulcanizates Used for Sealing Glazing and Panels-Specification;
- 22-206) ISO 3934:1978 ; Rubber Building Gaskets-Materials in Preformed Solid Vulcanizates Used for Sealing Glazing and Panels-Specification;
- 22-207) ISO 4633:1983 ; Rubber Seals-Joint Rings for Water Supply, Drainage and Sewerage Pipelines-Specification for Materials;
- 22-208) ISO 4633:1983 ; Rubber Seals-Joint Rings for Water Supply, Drainage and Sewerage Pipelines-Specifications for Materials;
- 22-209) ISO 4635:1982 ; Rubber, Vulcanized-Preformed Compression Seals for Use
- 22-210) ISO 4635:1982 ; Rubber, Vulcanized-Preformed Compression Seals for Use Between Concrete Motorway Paving Sections-Specification for Material;
- 22-211) ISO 5013:1985 ; Refractory Products-Determination of Modulus of Rupture at Elevated Temperatures;

- 22-212) ISO 5014:1986 ; Refractory Products-Determination of Modulus of Rupture at Ambient Temperature;
- 22-213) ISO 5015-6:1984 ; Refractory Bricks-Dimensions-Part 6: Basic Bricks for Oxygen Steel Making Converters;
- 22-214) ISO 5016:1986 ; Shaped Insulating Refractory Products-Determination of Bulk Density and True Porosity;
- 22-215) ISO 5017:1988 ; Dense Shaped Refractory Products-Determination of Bulk Density,
- 22-216) ISO 5018:1983 ; Refractory Materials-Determination of True Density;
- 22-217) ISO 5019-1:1984 ; Refractory Bricks-Dimensions-Part I: Rectangular Bricks;
- 22-218) ISO 5019-2:1984 ; Refractory Bricks-Dimensions-Part 2: Arch Bricks;
- 22-219) ISO 5019-3:1984 ; Refractory Bricks-Dimensions-Part 3: Rectangular Checker Bricks for Regenerative Furnace;
- 22-220) ISO 5022:1979 ; Shaped Refractory Products-Sampling and Acceptance Testing;
- 22-221) ISO 528:1983 ; Refractory Products-Determination of Pyrometric Cone Equivalent (refractoriness);
- 22-222) ISO 5417-1986 ; Refractory Bricks for Use in Rotary Kilns-Dimensions;
- 22-223) ISO 5419-4:1988 ; Refractory Bricks-Dimensions-Part 4: Dome Bricks for Electric arc Furnace Roofs;
- 22-224) ISO 5892:1981 ; Rubber Building Gaskets-Materials for Preformed Solid Vulcanized Structural Gaskets-Specification;
- 22-225) ISO 5892:1981 ; Rubber Building Gaskets-Materials for Preformed Solid Vulcanized Structural Gaskets-Specification;
- 22-226) ISO 6447:1983 ; Rubber Seals-Joint Rings Used for Gas Supply Pipes and Fittings-Specification for Material;
- 22-227) ISO 6447:1991 ; Rubber Seals-Joint Rings Used for Gas Supply Pipes and Fittings-Specification for Material;
- 22-228) ISO 6589:1983 ; Joints in Building-Laboratory Method of Test for Air Permeability of Joints;
- 22-229) ISO 7389:1987 ; Building Construction-Jointing Products-Determination of Elastic Recovery;
- 22-230) ISO 7390:1987 ; Building Construction-Jointing Products-Determination of Resistance to Flow;
- 22-231) ISO 7727:1984 ; Joints in Building-Principles for Jointing of Building Components-Accommodation of Dimensional Deviations During Construction;
- 22-232) ISO 8339:1984 ; Building Construction-Jointing Products-Sealants-Determination of Tensile Properties;
- 22-233) ISO 8340:1984 ; Building Construction-Jointing Products-Sealants-Determination of Tensile Properties at Maintained Extension;
- 22-234) ISO 8394:1988 ; Building Construction-Jointing Products-Determination of Extrudability

of One-Component Sealants;

- 22-235) ISO 8656:1988 ; Refractory Products-Sampling of Raw Materials and Unshaped Products;
- 22-236) ISO 8840:1987 ; Refractory Materials-Determination of Bulk Density of Granular Materials (Grain Density);
- 22-237) ISO 8890:1988 ; Dense Shaped Refractory Products-Determination of Resistance to Sulfuric Acid;
- 22-238) ISO 8894-1:1987 ; Refractory Materials-Determination of Thermal Conductivity-
- 22-239) ISO 8894-2:1990 ; Refractory Materials-Determination of Thermal Conductivity-
- 22-240) ISO 8895:1986 ; Shaped Insulating Refractory Products-Determination of Cold Crushing Strength;
- 22-241) ISO 9046:1987 ; Building Construction-Sealants-Determination of Adhesion/ Cohesion Properties at Constant Temperature;
- 22-242) ISO 9047:1989 ; Building Construction-Sealants-Determination of Adhesion/ Cohesion Properties at Variable Temperatures;
- 22-243) ISO 9205:1988 ; Refractory Bricks for Use in Rotary Kilns-Hot-face Identification Marking;
- 22-244) ISO 9331:1991 ; Rubber Seals Joint Rings for Hot Water Supply Pipelines up to 110oC Specifications for the Material.
- 22-245) ISO 9631:1991 ; Rubber Seals-Joint Rings for Hot Water Supply Pipelines up to 110oC Specifications for the Material;1-1) ANSI A108.1-2009 ; Specifications for the Installation of Ceramic Tile with Portland Cement Mortar;